



# Classic filament LEDbulbs

## CLA LEDBulb DT 7-60W E27 CRI90 A60 FR

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

General Information	
Cap-Base	E27 [ E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	7-60W

Light Technical	
Color Code	927-922 [ CCT of 2700K-2200K]
Beam Angle (Nom)	270 °
Luminous Flux (Nom)	806 lm
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2700 2200 K
Luminous Efficacy (rated) (Nom)	115.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz

Power (Nom)	7 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	50 °C

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Frosted


Approval and Application	
Energy Efficiency Label (EEL)	A++

# Classic filament LEDbulbs

Energy Consumption kWh/1000 h	7 kWh
<b>Product Data</b>	
Full product code	871869978013500
Order product name	CLA LEDBulb DT 7-60W E27 CRI90 A60 FR
EAN/UPC - Product	8718699780135
Order code	929002392302

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002392302
Net Weight (Piece)	0.030 kg


## Dimensional drawing




A60 230V 9-60W 806lm 2700-2200K E27 D FR

Product	D	C
CLA LEDBulb DT 7-60W E27 CRI90 A60 FR	60 mm	106 mm


## Photometric data



LEDbulb CLA 7W A60 E27 927 922 FR



LEDbulb CLA WGD CRI90



© 2020 Philips Lighting B.V. Page 11

LEDbulb CLA 7W A60 E27 927 922 FR

# Classic filament LEDbulbs

## Lifetime



15K LED

15K LMP

