

Technical Specification



Product Code: VPSC503GY

Description: 50A Ingot 2 Gang (Vertica) Double Pole Plate Switch With Neon



General Information

Plata Dimensiona (mm)	60 (MA) 1 46 (LI) 0 (D)			
Plate Dimensions (mm)				
Dimensions With Gasket (mm)	91 (W) x 149 (H) x 9 (D)			
Plate Fixing Centres - Horizontal (mm)	120.6			
Style	Victorian			
Finish	Satin Chrome			
Insert Colour	Grey			
Gasket Colour	Grey			
Materials	Front Plate: Stainless Steel	Insert & Rear Housir	ng: Urea	
	Switch Cover: Stainless Steel	Neon Lens: Polycark	oonate	
	Terminals: Brass	Terminal Screws: Ste	eel & Yellow Passivated	
	Contacts: Silver "on-lay" Copper / Brass	Internal Busbars: Fo	rmed Pressed Brass	
	Earth Strap: Mild Steel	Gasket: Nylon		
Anti Microbial Certified	No			
Rated Voltage (V~) (Ue)	250	Frequency (Hz)	50	
Resistive Load Rating (A)	45			
Termination Type	Screw			
Terminal Size (mm)	Ø6 Termina	l Torque Value (Nm)	2.5	
Terminal Capacity - Solid (mm ²)	1 x 16			
Double Pole Switch	Yes			
Twin Earth Terminals	Yes			
Neon Indicator	Yes	Indicator Colour	Red	
Product Marking	On, Off			
Minimum Back Box Depth (mm)	35			
Ingress Protection	IP20			
Operational Temperature (°C)	-5 to +40			
Warranty (Years)	10			
Ensure ti diagram	ditional Information For cleaning / polishing of products, use only a soft, dry, clean cloth. Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product. Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.			

C E CA

Page 1 of 1 (20/02/22 Errors & Omissions excluded bject to change without notice